

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMME United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/776,096	02/11/2004	Thomas J. Dobmeier	60,246-246; 10,756	2346
26096	7590 05/19/2005		EXAMINER	
CARLSON, GASKEY & OLDS, P.C.			JIANG, CHEN WEN	
400 WEST M SUITE 350	APLE ROAD		ART UNIT	PAPER NUMBER
BIRMINGHAM, MI 48009			3744	

DATE MAILED: 05/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

P
- 1

	Application No.	Applicant(s)				
	10/776,096	DOBMEIER ET AL				
Office Action Summary	Examiner	Art Unit				
	Chen-Wen Jiang	3744				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status		a .				
1) Responsive to communication(s) filed on 12 Fe	ebruary 2004.					
2a) ☐ This action is FINAL . 2b) ☐ This	This action is FINAL . 2b) ☐ This action is non-final.					
3)⊠ Since this application is in condition for allowar	•					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims	·					
 4) Claim(s) 1-13 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) 1,2 and 4-13 is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) 3 is/are objected to. 8) Claim(s) are subject to restriction and/or 	vn from consideration.					
Application Papers						
9)⊠ The specification is objected to by the Examiner 10)⊠ The drawing(s) filed on 12 February 2004 is/are Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11)□ The oath or declaration is objected to by the Ex	e: a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 20040308	4) Interview Summary (Paper No(s)/Mail Da 5) Notice of Informal Pa					

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the control for controlling operation of the circuits must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/776,096 Page 3

Art Unit: 3744

Specification

2. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Claim 3 is objected because claim 3 recites the limitation "said demanded condition" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Allowable Subject Matter

- 3. Claims 1,2 and 4-13 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: Claims 1,2 and 4-13 have been allowed because prior art of record fails to disclose or suggest the refrigerant cycle comprising, in combination, two refrigerant circuits each having a compressor, two heat exchangers, expansion device, economizer cycle tapping a refrigerant from the condenser which passing through an economizer heat exchanger and a controller for controlling the operation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

This application is in condition for allowance except for the following formal matters:Paragraph 1 and 2 of this Office Action.

Art Unit: 3744

Prosecution on the merits is closed in accordance with the practice under *Ex parte*Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chen-Wen Jiang whose telephone number is (571) 272-4809. The examiner can normally be reached on Tuesday-Friday from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chen-Wen Jiang Primary Examiner

